




CASE IH




ANTI FRICTION MOVEMENT
ROUND THE GLOBE



Can Bearing No.	O.E.M	Bore Dia(mm)	Outer Dia(mm)	Total Bearing Height(mm)	Illustration
11949/11910	1013268/1013620	19.050	45.524	15.494	
14137/14276	20879D/ST991	34.930	69.010	19.850	
14137A/14276	20879D/ST991 20879D/ST991	34.925	69.012	19.845	
304 KRR2	A27152 O7086AB VT3529	20.000	52.000	28.070	
32006	1335355C1	30.000	55.000	17.000	
32011	E45214	55.000	90.000	23.000	
32220	3266974	100.000	180.000	49.000	
32311	3266773	55.000	120.000	45.500	
33007	1335356C1	35.000	62.000	18.000	
33208	3671246	40.000	80.000	32.000	
33209	3266716	45.000	85.000	32.000	
48548/48510	1335791C1	34.930	65.090	18.034	

501349/501310	1012359/1012354	41.280	73.431	19.560	
505825	3058839R91	50.000	58.000	25.000	
6007	3651363	35.000	62.000	14.000	
6009	1963958C1	45.000	75.000	16.000	
6203	6203	17.000	40.000	12.000	
6203-2RS		17.000	40.000	12.000	
6205-2RS	270957	25.000	52.000	15.000	
6207-2RS	T19402	35.000	72.000	17.000	
6211	9902 89061 8	55.000	100.000	21.000	
6307	235930.0 40011	35.000	80.000	21.000	
6308	235931.0	40.000	90.000	23.000	
6310	235933.0	50.000	110.000	27.000	
67048/67010	1012356/1012360	31.750	59.131	15.875	

88542/88510	1968288c1	31.750	73.025	29.370	
BR-121	81802871 C5NN3A299A	37.500	55.500	19.700	
N1174		63.500	105.511	21.971	



V. Kan. Export

AN ISO/TS 16949:2009 CERTIFIED CO.

WORKS: PLOT NO.: 347, SECTOR-8, IMT-MANESAR, GURUGRAM-122050, HARYANA (INDIA)
TELEFAX: +91-124-406-7421, +91-9810049380, +91-9810099961
E.MAIL : canbearing@gmail.com , vaibhav.ahuja82@gmail.com

www.canbearings.com