





Can


INTEGRAL SHAFT BEARINGS




WPB

Bearing No.	d(mm)	D(mm)	T(mm)	Weight(Kg)	Illustration
1989222c2	0.000	0.000	0.000	0.000	
527479	0.000	0.000	0.000	0.963	
88140 B	0.000	0.000	0.000	0.000	
881403	0.000	0.000	0.000	0.000	
FPS014	0.000	0.000	0.000	0.000	
FPS018	29.650	30.000	128.650	0.000	
FPS023	0.000	0.000	0.000	0.000	
FPS041	0.627	1.181	4.000	0.000	
FPS075	0.627	1.181	4.040	0.000	

FPS083	0.503	1.181	4.454	0.000	
FPS100	0.627	1.181	4.860	0.000	
FPS104	0.627	1.811	4.173	0.000	
FPS122	0.627	1.181	4.687	0.000	
FPS154	0.504	1.181	4.281	0.000	
FPS183	0.627	1.181	3.915	0.000	
FPS184	0.503	1.811	4.307	0.000	
FPS204	0.627	1.181	5.000	0.000	
FPS249	0.627	1.181	3.984	0.000	
FPS275	0.625	1.181	5.442	0.000	
FPS337	15.900	38.150	74.680	0.000	
FPS348	0.627	1.181	5.370	0.000	
FPS504	0.629	1.181	4.984	0.000	
FPS582	0.627	1.181	5.590	0.000	

FPS608	0.627	1.500	4.436	0.000	
FPS623	0.499	1.181	4.040	0.000	
FPS675	0.629	1.500	4.950	0.000	
KAN-34	0.000	0.000	0.000	0.000	
KAN-35	0.000	38.100	114.130	0.000	
PU301667-23 (HI-CAP 70059)	0.000	35.000	78.830	0.000	
PU351675-27(HI-CAP 70061)	0.000	30.200	67.910	0.000	
WR17059				0.000	
WR2555127	25.000	55.000	60.000	0.000	



V. Kan. Export

AN ISO/TS 16949:2009 CERTIFIED CO.

WORKS: PLOT NO.: 347, SECTOR-8, IMT-MANESAR, GURUGRAM-122050, HARYANA (INDIA)
TELEFAX: +91-124-406-7421, +91-9810049380, +91-9810099961
E.MAIL : canbearing@gmail.com , vaibhav.ahuja82@gmail.com

www.canbearings.com