




Can

STEERING BEARINGS



Bearing No.	d(mm)	D(mm)	T(mm)	Weight(Kg)	Illustration
0506F	25.000	62.000	19.000	0.230	
074151	30.000	48.000	0.000	0.000	
311142/311161	20.120	38.100	7.900	0.040	
36X	49.000	64.292	13.000	0.160	
37x51x7	37.000	51.180	7.550	0.000	
38X	50.250	69.840	23.400	0.360	
390509	53.250	72.000	14.100	0.250	
401359C	20.000	62.000	24.000	0.350	
45bc/46	56.470	79.375	13.208	0.250	


45bc/47	56.470	87.313	25.654	0.000	
509043	26.600	57.000	15.000	0.145	
512088B	22.400	55.570	13.000	0.140	
531249	37.600	68.000	23.050	0.225	
531349	37.500	68.000	23.250	0.222	
531350	38.000	68.000	18.500	0.205	
531450	38.000	68.000	18.500	0.205	
5806	28.300	44.400	9.500	0.000	
5807	28.300	49.100	19.000	0.000	
5813	33.300	49.200	11.500	0.000	
5814	33.300	57.000	17.000	0.000	
5815	33.300	52.300	9.500	0.000	
5832	40.600	61.000	11.900	0.000	
5836	43.600	64.200	13.100	0.000	

5838	43.600	69.800	23.300	0.000	
5839	43.600	69.800	14.200	0.000	
5840	43.600	69.800	18.600	0.000	
5850	21.200	35.000	8.700	0.000	
5851	21.200	39.000	8.700	0.000	
5860	29.100	47.500	20.000	0.000	
5861	29.100	47.000	12.000	0.000	
C111D	37.000	55.500	9.000	0.105	
D-3	0.000	0.000	0.000	0.000	
D1	0.000	0.000	0.000	0.000	
E1ADKN3556	3.450	49.000	11.000	0.115	
F1 10085	20.100	38.100	7.800	0.038	
FS1.20	30.300	51.900	13.470	0.000	
IR- 2020	19.600	44.400	14.400	0.000	

IR- 5000	37.200	71.000	11.100	0.000	
IR-5001	27.800	47.600	8.000	0.000	
IR-5002	27.800	47.200	8.000	0.000	
IR-5010/11	25.000	45.000	12.000	0.000	
IR-5012	30.000	4,512.000	12.000	0.000	
IR-5014	37.000	59.000	8.800	0.000	
IR-5015	37.000	55.500	8.800	0.000	
IR-5016	22.200	38.000	9.200	0.000	
IR-5020/21	14.300	34.800	10.600	0.000	
IR-5028	45.000	61.900	8.000	0.000	
IR-5029	38.900	55.500	7.200	0.000	
IR-5032	28.900	46.000	15.900	0.000	
IR-5034	28.000	47.300	9.000	0.000	
IR-5035	28.000	46.100	9.000	0.000	

IR-5036	30.200	52.000	13.700	0.000	
IR-5037	23.300	40.400	11.200	0.000	
IR-5038	28.000	47.000	9.000	0.000	
IR-5039	32.500	50.000	16.000	0.000	
IR-5040	23.800	43.600	8.800	0.000	
IR-5041	14.200	34.800	10.300	0.000	
IR-5042	25.800	38.000	6.300	0.000	
IR-5049	34.000	51.000	8.000	0.000	
IR-5053	14.400	31.700	9.500	0.000	
IR-5058	23.400	46.000	11.100	0.000	
IR-5063	46.000	64.000	10.000	0.000	
IR-5064	30.700	52.750	18.950	0.205	
IR-5067	14.400	31.700	9.500	0.000	
JB 1003	19.600	51.000	14.500	0.112	

KAN-269	43.000	65.000	18.120	0.125	 Can <i>Bearings</i>
L17	17.000	40.000	12.000	0.060	 Can <i>Bearings</i>
L20	20.000	47.000	12.000	0.105	 Can <i>Bearings</i>
L5738	33.350	44.490	10.000	0.170	
MKP-0050	79.000	106.000	12.000	0.000	
N 9042 A	38.460	55.600	9.000	0.110	 Can <i>Bearings</i>
N-9043A	38.150	55.500	12.600	0.135	
VBT172Z	18.800	38.220	10.750	0.000	 Can <i>Bearings</i>
VT-19	20.000	40.800	12.000	0.000	 Can <i>Bearings</i>



V. Kan. Export

AN ISO/TS 16949:2009 CERTIFIED CO.

WORKS: PLOT NO.: 347, SECTOR-8, IMT-MANESAR, GURUGRAM-122050, HARYANA (INDIA)
TELEFAX: +91-124-406-7421, +91-9810049380, +91-9810099961
E.MAIL : canbearing@gmail.com , vaibhav.ahuja82@gmail.com

www.canbearings.com