





Can

THRUST BEARINGS



51000

Bearing No.	d(mm)	D(mm)	T(mm)	Weight(Kg)	Illustration
0-03	9.525	25.400	13.494	0.036	 Can <i>Bearings</i>
0-04	12.700	32.544	15.875	0.077	 Can <i>Bearings</i>
0-05	15.875	35.719	15.875	0.086	 Can <i>Bearings</i>
0-06	19.050	38.894	15.875	0.095	 Can <i>Bearings</i>
0-07	22.225	42.069	15.875	0.100	 Can <i>Bearings</i>
0-08	25.400	45.244	15.875	0.110	 Can <i>Bearings</i>
0-09	28.575	48.419	15.875	0.128	 Can <i>Bearings</i>
0-10	31.750	53.170	18.250	0.162	 Can <i>Bearings</i>
0-11	34.925	56.356	18.256	0.186	 Can <i>Bearings</i>

0-12	38.100	59.531	18.256	0.200	
0-13	41.275	62.706	18.256	0.210	
0-14	44.450	68.262	0.260	0.000	
0-15	47.625	71.438	19.050	0.285	
0-16	50.800	75.406	19.050	0.300	
0-17	53.975	81.756	22.225	0.405	
0-18	57.150	84.931	22.225	0.405	
0-19	60.325	91.281	25.400	0.590	
0-20	63.500	94.456	25.400	0.610	
0-21	66.675	97.631	25.400	0.660	
0-22	69.850	102.394	25.400	0.700	
0-23	73.025	105.569	25.400	0.730	
0-24	76.200	111.125	28.575	0.900	
0-26	82.550	122.238	31.750	1.300	

0-28	88.900	128.588	31.750	1.320	
0-30	95.250	132.842	31.750	0.000	
0-32	101.600	146.050	34.925	0.000	
0-34	107.950	158.750	44.450	0.000	
0-36	114.300	165.100	44.450	0.000	
0-38	120.650	177.800	50.800	0.000	
0-40	127.000	184.150	50.800	0.000	
0-44	139.700	203.200	55.563	0.000	
016-BRASS	50.800	75.406	19.050	0.300	
017-BRASS	53.975	81.756	22.225	0.405	
018-BRASS	57.150	84.931	22.225	0.405	
019-BRASS	60.325	91.281	25.400	0.590	
020-BRASS	63.500	94.456	25.400	0.610	
021-BRASS	66.675	97.631	25.400	0.660	

023-BRASS	73.025	105.569	25.400	0.730	
024-BRASS	76.200	111.125	28.575	0.900	
06.32839.0016	54.300	82.000	22.000	0.000	
13 W 2.1/2	0.000	0.000	0.000	0.000	
1W 353 SR	34.950	55.890	16.150	0.125	
1W 353 TR	34.950	55.890	16.150	0.125	
27W 1 1/2 BALL	38.100	65.800	15.800	0.200	
27W 1 1/2 TR	38.100	65.800	15.800	0.200	
28TAG516160-RS	28.000	51.700	16.000	0.137	
28TAG530164	28.150	53.000	16.400	0.000	
28TAG530165	28.000	53.000	16.500	0.000	
28TAG530165-2RS	28.000	53.000	16.500	0.000	
28TAG531158	28.729	53.181	15.875	0.000	
28TAG545090	28.000	54.000	9.000	0.000	

28TAG545093	28.000	54.500	9.300	0.000	
28TAG545140	28.000	54.500	14.000	0.000	
28TAG555157	28.207	55.562	15.748	0.000	
28TAG555158	28.729	55.562	15.875	0.000	
30TAG516138-2RS	30.000	51.600	13.800	0.000	
30TAG516170-RS	30.000	51.600	17.000	0.000	
30TAG528138-2RS	30.150	52.800	13.800	0.000	
30TAG530170	30.000	53.000	17.000	0.000	
30TAG558159	30.500	55.800	15.900	0.000	
31TAG555158	31.094	55.562	15.875	0.000	
329910 A	49.500	78.000	22.000	0.000	
329910 TR	48.150	79.700	21.800	0.000	
32TAG570170	32.100	57.150	17.000	0.000	
353013A	36.500	66.500	10.000	0.000	

353056B	0.000	0.000	0.000	0.000	
353115	38.100	72.600	20.000	0.000	
353118	45.100	74.800	20.000	0.000	
35TAG627167-2RS	35.200	62.700	16.700	0.000	
35TAG627168	35.000	62.700	16.800	0.000	
35TAG627170	35.000	62.700	17.000	0.000	
35TAG627176-2RS	35.000	62.700	17.600	0.000	
35TAG640190	35.000	64.000	19.000	0.000	
35TAG650162	35.400	66.675	19.450	0.000	
35TAG650180	35.000	65.000	18.000	0.000	
35TAG650183	35.000	65.000	18.300	0.000	
35TAG650183-2RS	35.000	65.000	18.300	0.000	
360619	60.000	96.600	27.000	0.000	
440639	30.000	56.000	17.000	0.159	

5000542809	30.400	48.100	15.000	0.000	
5000542810	35.500	53.000	15.000	0.000	
5003090091	46.000	83.000	24.000	0.000	
500637	55.000	90.000	25.000	0.000	
500638	50.000	78.000	22.000	0.000	
51100	10.000	24.000	9.000	0.020	
51101	10.000	26.000	9.000	0.020	
51102	15.000	28.000	9.000	0.020	
51103	17.000	30.000	9.000	0.000	
51104	20.000	35.000	10.000	0.040	
51105	25.000	42.000	11.000	0.000	
51106	30.000	47.000	11.000	0.000	
51108	40.000	60.000	13.000	0.000	
51109	45.000	65.000	14.000	0.000	

51110	50.000	70.000	14.000	0.160	
51111	55.000	78.000	16.000	0.230	
51112	60.000	85.000	17.000	0.200	
51113	65.000	90.000	18.000	0.330	
51114	70.000	95.000	18.000	0.350	
51115	75.000	100.000	19.000	0.400	
51116	80.000	105.000	10.000	0.420	
51117	85.000	110.000	19.000	0.440	
51118	90.000	120.000	22.000	0.670	
51120	100.000	135.000	25.000	0.970	
51120 BRASS SP.	100.000	135.000	25.000	0.000	
51122	110.000	145.000	25.000	1.050	
51124	120.000	155.000	30.000	1.150	
51126	130.000	170.000	30.000	1.850	

51200	10.000	26.000	11.000	0.030	
51201	12.000	28.000	11.000	0.030	
51202	15.000	32.000	12.000	0.050	
51203	17.000	35.000	12.000	0.050	
51204	20.000	40.000	14.000	0.080	
51205	25.000	47.000	15.000	0.000	
51206	30.000	52.000	16.000	0.000	
51207	35.000	62.000	18.000	0.000	
51208	40.000	68.000	19.000	0.280	
51209	45.000	73.000	20.000	0.300	
51209 STEEL SP.	0.000	0.000	0.000	0.000	
51210	50.000	78.000	22.000	0.370	
51211	55.000	90.000	25.000	0.590	
51212	60.000	95.000	26.000	0.650	

51213	65.000	100.000	27.000	0.780	
51214	70.000	105.000	27.000	0.790	
51215	75.000	110.000	27.000	0.830	
51216	80.000	115.000	28.000	0.910	
51216W/C	80.000	115.000	28.000	0.000	
51217	85.000	125.000	31.000	1.200	
51218	90.000	135.000	35.000	1.700	
51220	100.000	150.000	38.000	2.200	
51222	110.000	160.000	38.000	2.400	
51224	120.000	170.000	39.000	2.650	
51226	130.000	190.000	45.000	4.000	
51228	140.000	200.000	46.000	4.350	
51230	150.000	215.000	50.000	6.100	
51232	160.000	225.000	51.000	6.550	

51305	25.000	52.000	18.000	0.170	
51306	30.000	60.000	21.000	0.260	
51307	35.000	68.000	24.000	0.380	
51308	40.000	78.000	26.000	0.530	
51309	45.000	85.000	28.000	0.660	
51310	50.000	95.000	31.000	0.940	
51310 BRASS SP.	0.000	0.000	0.000	0.000	
51311	55.000	105.000	35.000	1.300	
51312	60.000	110.000	35.000	1.350	
51313	65.000	115.000	36.000	1.500	
51314	70.000	125.000	40.000	2.000	
51315	75.000	135.000	44.000	2.600	
51316	80.000	140.000	44.000	2.700	
51317	85.000	150.000	49.000	3.550	

51318	90.000	155.000	50.000	3.800	
51320	100.000	170.000	55.000	4.950	
51322	110.000	190.000	63.000	7.850	
51324	120.000	210.000	70.000	11.000	
51326	130.000	225.000	75.000	13.000	
51328	140.000	240.000	80.000	15.500	
51330	150.000	250.000	80.000	16.500	
51405	25.000	60.000	24.000	0.340	
51406	30.000	70.000	28.000	0.520	
51407	35.000	80.000	32.000	0.760	
51408	40.000	90.000	36.000	1.100	
51409	45.000	100.000	39.000	1.400	
51410	50.000	110.000	43.000	2.000	
51411	55.000	120.000	48.000	2.550	

51412	60.000	130.000	51.000	3.100	
51413	65.000	140.000	56.000	4.000	
51414	70.000	150.000	60.000	5.000	
51415	75.000	160.000	65.000	6.750	
51416	80.000	170.000	68.000	7.950	
51417	85.000	180.000	72.000	9.450	
51418	90.000	190.000	77.000	11.000	
51420	100.000	210.000	85.000	15.000	
52202	10.000	32.000	22.000	0.080	
52204	20.000	40.000	26.000	0.150	
52205	25.000	47.000	28.000	0.220	
52206	30.000	52.000	29.000	0.250	
52207	35.000	62.000	34.000	0.410	
52208	40.000	68.000	36.000	0.550	

52209	45.000	73.000	37.000	0.600	
52210	50.000	78.000	39.000	0.710	
52211	55.000	90.000	45.000	1.100	
52212	60.000	95.000	46.000	1.200	
52213	65.000	100.000	47.000	1.350	
52215	70.000	110.000	47.000	1.550	
52216	75.000	115.000	48.000	1.700	
528546	45.100	74.800	20.000	0.000	
528548 B1	50.000	78.000	22.000	0.370	
532801	35.400	66.675	19.450	0.000	
532802	36.780	66.675	19.400	0.000	
536123A	30.100	50.000	12.000	0.000	
536125B	35.200	55.600	14.000	0.000	
545451A	42.500	67.800	17.000	0.000	

568195B	40.000	72.600	19.000	0.000	
609552	22.000	45.000	15.000	0.100	
68808K	40.000	67.000	14.700	0.000	
688911C3	52.000	83.000	21.000	0.000	
700.060	50.500	78.300	21.700	0.000	
808107	32.300	56.500	16.000	0.135	
A6569810310	54.000	86.000	26.000	0.000	
A6743300451	38.000	66.000	20.000	0.000	
BA-0024 SP.	0.000	0.000	0.000	0.000	
BD1B351873 D	0.000	0.000	0.000	0.000	
BFSB 353056 E	50.000	78.000	22.000	0.000	
BFSB 353153	33.100	56.500	15.875	0.000	
BFSB 353323A	50.000	78.000	25.000	0.000	
BFSB 353326	33.100	56.500	16.000	0.000	

BFSB-353263E/HA3	45.000	80.000	16.500	0.000	
BFSB-353291	46.000	78.000	22.000	0.000	
BFSB-353323/HA3	50.000	78.000	25.300	0.000	
BFSB-353330	53.950	81.960	25.400	0.000	
BR-121	37.500	55.500	19.700	0.000	
CRT 1053	50.000	82.000	22.000	0.000	
E688090	0.000	0.000	0.000	0.000	
F-15004	41.500	66.000	16.000	0.000	
F-7	0.000	0.000	0.000	0.000	
F-83345	23.000	43.200	12.000	0.000	
F545450	38.100	62.000	14.000	0.000	
IR-205	38.100	66.000	16.000	0.205	
JCT 1001	45.500	73.300	21.000	0.000	
KAG-10304	47.250	78.000	23.240	0.000	

KAN-154	50.000	84.000	21.870	0.000	
KAN-278	0.000	0.000	0.000	0.000	
KAN-960	43.000	60.000	14.000	0.000	
R-40 TR (JALI WALA)	0.000	0.000	0.000	0.000	
RM205	38.000	66.000	0.000	0.000	
S40227	41.650	65.500	16.000	0.000	
T-101 TR	25.654	50.800	15.875	0.130	
T-102	25.654	50.800	16.916	0.000	
T-104	26.289	50.800	15.875	0.100	
T-105	25.654	50.800	15.875	0.100	
T-107	27.299	50.800	15.875	0.100	
T-110	28.829	53.188	15.875	0.100	
T-113 Ball	28.829	55.562	15.875	0.000	
T-113 TR	28.829	55.562	15.875	0.200	

T-114	28.829	50.800	15.875	0.100	
T-119 Ball	30.416	55.562	15.875	0.000	
T-119 TR	30.416	55.562	15.875	0.140	
T-120	30.416	54.745	11.430	0.100	
T-121	30.716	55.562	15.875	0.200	
T-126 Ball	32.004	55.562	15.875	0.000	
T-126 TR	32.004	55.562	15.875	0.100	
T-1260	32.004	55.562	15.875	0.200	
T-127	32.004	66.675	19.446	0.300	
T-128 Ball	32.004	66.675	18.654	0.300	
T-128 SP	32.004	66.675	18.654	0.300	
T-128 TR	32.004	66.675	18.654	0.300	
T-130	27.102	66.675	19.446	0.300	
T-135	34.925	76.200	18.875	0.000	

T-136	35.179	66.675	18.654	0.300	
T-1370	35.020	55.562	15.875	0.100	
T-138 TR	35.180	66.680	19.450	0.290	
T-1380	35.179	59.400	15.875	0.400	
T-1381	35.180	59.475	15.875	0.300	
T-139	35.180	58.740	15.880	0.150	
T-140- TR	36.500	66.480	19.890	0.000	
T-142 TR	35.179	62.708	19.431	0.200	
T-144 BALL	36.754	66.675	19.446	0.000	
T-144 TR	36.750	66.680	19.450	0.270	
T-149 TR	38.303	65.883	19.431	0.200	
T-151 TR	38.354	72.619	21.433	0.240	
T-152 TR	38.354	72.619	20.638	0.350	
T-154	39.400	72.700	22.150	0.000	


T-157	39.954	72.619	21.433	0.400	
T-158	40.234	65.883	19.431	0.200	
T-163 BALL	41.529	72.619	21.433	0.000	
T-163 TR	41.529	72.619	21.433	0.350	
T-169	43.104	82.956	23.812	0.600	
T-176	46.100	82.956	23.812	0.500	
T-1760	44.623	76.200	10.922	0.200	
T-177 TR	45.000	73.000	20.000	0.320	
T-178	40.401	73.000	19.000	0.300	
T-180 GG	50.000	77.000	22.000	0.000	
T-180 TR	50.000	77.000	22.000	0.000	
T-182	46.279	82.956	23.812	0.500	
T-182 S-8	46.400	57.000	32.208	0.000	
T-18222-8 PMS	47.000	83.000	17.600	0.000	

T-18222-8 PMS RBC	47.879	83.000	17.600	0.000	
T-182S	46.279	87.757	25.146	0.000	
T-182S-8	46.100	82.332	25.260	0.000	
T-188	47.879	82.956	23.812	0.500	
T-188S	47.879	87.757	23.813	0.000	
T-189	47.879	82.956	23.020	0.500	
T-190	47.879	83.083	23.020	0.500	
T-1910	49.000	85.471	16.383	0.300	
T-1920	49.000	85.471	16.383	0.400	
T-1921	46.279	80.010	15.977	0.300	
T-193	49.454	93.269	26.187	0.800	
T-1930	49.000	85.471	16.383	0.300	
T-194	49.479	93.269	26.975	0.800	
T-194-8	49.500	97.300	28.500	0.000	

T-195	49.467	93.396	26.213	0.900	
T-199 TR	51.054	74.612	15.875	0.200	
T-200	50.800	109.540	22.230	0.970	
T-201	51.054	93.269	26.187	0.800	
T-202	51.054	93.269	26.975	0.800	
T-208	52.629	93.269	26.975	0.800	
T-208 S	52.670	97.300	28.500	0.000	
T-209	52.629	93.269	26.187	0.800	
T-218 TR	0.875	40.000	8.800	0.100	
T-251	63.754	111.125	26.988	1.100	
T-252	63.754	111.125	25.796	1.100	
T-301	76.454	133.350	33.338	1.900	
T-302	76.454	133.350	34.925	2.000	
T-309	78.583	102.395	15.875	0.300	

T-311	76.200	161.925	33.338	0.000	
T-338	36.800	66.700	20.100	0.000	
T-350	88.900	133.350	33.335	1.400	
T-351 BRASS THRUST TYPE SP.	0.000	0.000	0.000	0.000	
T-387	96.425	127.000	17.463	0.500	
T-402	102.108	181.524	44.450	0.000	
T-4020	102.108	179.619	44.450	4.800	
T-484	123.012	152.400	17.463	0.600	
T-581	147.638	177.800	17.462	0.900	
T-600	152.400	241.300	76.200	14.100	
T-63	16.129	41.275	12.700	0.100	
T-76	19.329	41.275	13.487	0.100	
T-77	19.304	41.275	12.700	0.100	
T-82	20.879	41.275	13.487	0.100	

T-83	20.879	42.164	13.487	0.000	
T-86	20.257	39.688	14.288	0.100	
T-88	22.479	48.021	15.088	0.100	
T-89	22.479	48.021	15.875	0.100	
T-92	23.825	44.958	13.487	0.100	
T-93	24.054	44.958	13.487	0.100	
T-94	24.054	48.021	15.088	0.100	
T-95	24.130	50.800	15.875	0.100	
TAG 47-1	47.000	78.000	23.000	0.000	
TB-1007	36.800	66.000	20.000	0.000	
UEP-501	62.100	86.000	12.000	0.092	
Y30-1AB	32.200	55.000	25.000	0.000	



V. Kan. Export

AN ISO/TS 16949:2009 CERTIFIED CO.

WORKS: PLOT NO.: 347, SECTOR-8, IMT-MANESAR, GURUGRAM-122050, HARYANA (INDIA)
TELEFAX: +91-124-406-7421, +91-9810049380, +91-9810099961
E.MAIL : canbearing@gmail.com , vaibhav.ahuja82@gmail.com

www.canbearings.com